

ExSpray. Saving costs.

ExSpray is a high-tech spray reduction system developed by Akzo and produced by Roland Technical Services BV, part of the Roltrans Group. A tribute to years of research and experience, the level of acceptance and success achieved by ExSpray in the market is a sign that its quality is clearly recognized and valued. ExSpray more than meets all the current and projected legal requirements and is issued with the European quality standard Ae4-226/91-91001. With decades of experience supplying the bodybuilder and trailer construction industries, we have access to a wealth of specialized knowledge achieved through the continual solution of problems specially related to those industries.

ExSpray is available ex-stock in standard sizes or tailor-made. The normal fitting of ExSpray to a commercial vehicle or trailer demands very little in the way of time and material. An individual kit is available ex-stock for every truck and trailer. In removing over 80% of road spray, ExSpray makes an important contribution in keeping a vehicle clean and attractive. The added value in terms of reduced logistics and cleaning costs. This is also the case with the back of ExSpray itself, providing a surface more than suitable for advertising.

STOCK SIZES


24 x 22

18 x 22

26 x 22

OTHER SIZES AVAILABLE

- 1-The special structure
- 2-The individual kit.
- 3-Excellent advertising.



ExSpray. Adding safety.

ExSpray is a three dimensional structure made from Polyamid 6.

This structure is moulded to a specially strengthened plastic backing. The special ExSpray structure neutralizes the power of the water as it splashes up. In this way at least 80% is caught and carried down and away.

More visibility and more safety.

EXSPRAY

clears the way.



ExSpray.

ExSpray is probably the best spray suppression available.

WHY?

BECAUSE: -ExSpray comfortably exceeds the spray suppression compliance requirements throughout Europe and beyond, being certified to the EU Quality Standard A-e4 226/91-91001.

BECAUSE: -The unique ExSpray open mesh construction prevents the spray splashing back against the road wheels and allows over 80% to drain down and away.

The maximum legislation either current or proposed, call for a minimum of 70% spray reduction.

ExSpray has always, since it's introduction in 1985, removed over 80% of road spray. This has been proved by the major national standards testing authorities, beginning in those early days with our own BSI, and as mainland Europe became more aware and involved, Belgium, France, Germany etc. followed.

Harmonization of standards throughout the enlarged EU, will ensure that **ExSpray** will maintain it's significant performance advantage, wherever such legislation is applied.

BECAUSE: -ExSpray is virtually indestructible in the hurly-burly world of wear and tear in the Road Transport Industry. Since it's inception, **ExSpray** has carried a unique 2 year warranty against structural failure and to this day, no **ExSpray** has ever failed!

Therefore you can fit **ExSpray** and then forget it!

BECAUSE: -ExSpray is essentially self-cleaning and will always provide the best spray suppression performance, regardless of road conditions. The unique open-mesh construction, even if fully clogged with mud etc. if used on off-road tipping vehicles, will quickly be washed clean by the very spray it is helping to suppress, when used back on the highway.

BECAUSE: -ExSpray provides a clear company statement, when it's smooth rear face is screenprinted with the appropriate name, logo, telephone number etc.


Such screenprinting can be as simple or as complex as required, provided it can be seen by following vehicles (much more likely due to reduced spray!). The message goes on, and on, and on ...

BECAUSE: -There is no truck or trailer whose operation would not benefit by the inclusion of **ExSpray** Standard or special, **ExSpray** is available in simple flap form or in complete kits, including fixings and fitting instructions. Whether fitted as new on-line, or retro-fitted in service, **ExSpray** is available to suit all applications.

BECAUSE: - These are only 6 of the many, many, good reasons to specify, purchase and fit **ExSpray**.

More than *probably*, we can state that ExSpray, is *simply* the best!

SPRAY SUPPRESSION FLAPS TO MEET MINIMUM LEGISLATION REQUIREMENTS



FLAPS ARE SUPPLIED SQUARE CORNERED AND STAMPED
WITH BS AU 200/2a MONSANTO

MONSANTO

REF

120	380mm x 560mm	(15" x 22")
134	405mm x 560mm	(16" x 22")
115	450mm x 560mm	(18" x 22")
121	530mm x 560mm	(21" x 22")
116	610mm x 560mm	(24" x 22")
117	610mm x 610mm	(24" x 24")
122	660mm x 560mm	(26" x 22")
160	660mm x 610mm	(26" x 24")
425	690mm x 815mm	(27" x 32")
590	450mm x 910mm	(18" x 36")
303	459mm x 1060mm	(18" x 42")
309	450mm x 1220mm	(18" x 48")
560	610mm x 910mm	(24" x 36")
420	530mm x 1010mm	(21" x 40")
421	610mm x 1010mm	(24" x 40")
302	610mm x 1060mm	(24" x 42")
301	610mm x 1220mm	(24" x 48")
565*	610mm x 1220mm	(24" x 48")
424	660mm x 1010mm	(26" x 40")
306	660mm x 1060mm	(26" x 42")
308	690mm x 1065mm	(27" x 42")
307	660mm x 1220mm	(26" x 48")

VALANCES (No Assemblies Included)

344	100mm x 1220mm	(4" x 48")
348	150mm x 1220mm	(6" x 48")
343	200mm x 1220mm	(8" x 48")
342	300mm x 1220mm	(12" x 48")

Bolt Pack


**585 is supplied with BS mark stamped in 6 places*

NOTE: IMPERIAL UNITS ARE STATED TO THE NEAREST INCH

CLEAR PASS IS A REGISTERED TRADE MARK OF MONSANTO COMPANY



**SPRAY SUPPRESSION FLAPS TO MEET
MINIMUM LEGISLATION REQUIREMENTS
PRINTED WITH CUSTOMER LOGO**



YOUR LOGO PRINTED HERE

FLAPS ARE SUPPLIED STAMPED WITH BS AU 200/2a, WITH LOWER CORNERS CROPPED AND PRINTED WITH CUSTOMERS OWN LOGO. MINIMUM 100 FLAPS ON INITIAL ORDER, RE-ORDERS MINIMUM 50 FLAPS.

MONSANTO REF	FLAP SIZE	
110	380mm x 560mm	(15" x 22")
104	405mm x 560mm	(16" x 22")
105	450mm x 560mm	(18" x 22")
111	530mm x 560mm	(21" x 22")
107	610mm x 610mm	(24" x 24")
112	660mm x 560mm	(26" x 22")
106	610mm x 560mm	(24" x 22")

NON - STEER AXLE KITS (Without Logo)

(FOR USE WITH WINGS)

Each Kit contains all the necessary parts to equip one axle: two flaps, nuts and bolt.

993	450mm x 910mm	(18" x 36")
990	530mm x 1010mm	(21" x 40")
991	610mm x 1010mm	(24" x 40")
995	660mm x 1010mm	(26" x 40")

FLAT SHEET

HM00056	915mm x 915mm	(36" x 36")
HM00058	1220mm x 610mm	(48" x 24")
HM00069	2500mm x 390mm	(98" x 15")
HM00098	1220mm x 690mm	(48" x 27")

NOTE:

Imperial units are stated to the nearest inch.
Flat sheet is only available in the sizes above.