

## GALVANISED STEEL RUNNERS


Code	A mm	B mm	C mm	Length mm	Weight kg
<b>STG42</b>	100	50	5	6400	45.18
<b>STG43</b>	100	50	5	7620	53.50
<b>STG44</b>	100	50	5	9144	64.55
<b>STG50</b>	127	50	5	7620	61.88
<b>STG51</b>	127	50	5	9144	74.25
<b>STG54</b>	150	50	5	7620	68.80
<b>STG55</b>	150	50	5	9144	82.57

## PLAIN STEEL RUNNERS

<b>ST16</b>	100	50	5	7620	53.80
<b>ST17</b>	100	50	5	9144	64.55
<b>ST26</b>	127	50	5	7620	61.88
<b>ST27</b>	127	50	5	9144	74.25
<b>ST35</b>	150	50	5	7620	68.80
<b>ST36</b>	150	50	5	8537	77.00
<b>ST37</b>	150	50	5	9144	82.57

*We recommend that you refer to the correct body manual to determine the correct section required for the particular vehicle model and application*

# Steel Channels




## GALVANISED LIPPED STEEL CHANNEL

Code	A mm	B mm	C mm	Length mm	Weight kg
<b>STG03</b>	75	38	2	2134	5.7
<b>STG04</b>	75	50	2	2134	6.0
<b>STG07</b>	75	50	2	7600	23.2
<b>STG10</b>	100	50	2.3	2134	8.4
<b>STG11</b>	100	50	2.3	2223	8.75
<b>STG14</b>	100	50	2.3	2438	9.6
<b>STG15</b>	100	50	2.3	2500	9.8
<b>STG16</b>	100	50	2.3	2534	10.0
<b>STG17</b>	100	50	2.3	2553	10.1
<b>STG20</b>	100	50	2.3	7600	29.8
<b>STG21</b>	100	50	2.5	2438	9.78
<b>STG22</b>	100	50	2.5	2500	10.02
<b>STG23</b>	100	50	2.5	2534	10.16
<b>STG24</b>	100	50	2.5	2550	10.23
<b>STG27</b>	100	50	2.5	7600	32.1
<b>STG30</b>	100	50	3	2500	11.7
<b>STG32</b>	100	50	3	2550	11.93
<b>STG33</b>	100	50	3	5486	25.90
<b>STG35</b>	100	50	3	7600	35.60
<b>STG36</b>	100	50	3	9144	42.72
<b>STG38</b>	127	50	3	7620	43.35
<b>STG39</b>	127	50	3	9144	52.0
<b>STG40</b>	150	50	3	7620	47.85
<b>STG41</b>	150	50	3	9144	47.73




## PLAIN LIPPED STEEL CHANNELS

Code	A mm	B mm	C mm	Length mm	Weight kg
<b>ST01</b>	75	50	3	7260	31.85
<b>ST03</b>	105	40	2	3000	9.28
<b>ST03A</b>	105	40	2	3200	9.90
<b>ST04</b>	105	40	2	4000	12.37
<b>ST05</b>	105	40	2	5000	15.46
<b>ST06</b>	100	50	3	2500	11.80
<b>ST10</b>	100	50	3	7620	36.00
<b>ST11</b>	100	50	3	9144	43.16




## PLAIN STEEL CHANNELS (SIDE RAVES)

Code	A mm	B mm	C mm	Length mm	Weight kg
<b>ST13</b>	100	50	3	7620	33.75
<b>ST14</b>	100	50	3	9144	40.50
<b>ST20</b>	127	50	3	7620	39.17
<b>ST21</b>	127	50	3	9144	47.00
<b>ST24</b>	127	50	3	13716	70.50
<b>ST29</b>	150	50	3	7620	39.30
<b>ST30</b>	150	50	3	9144	47.18
<b>ST33</b>	150	50	3	13716	70.77




## GALVANISED STEEL CHANNELS (SIDE RAVES)

<b>STG47</b>	127	50	2.5	7620	32.90
<b>STG48</b>	127	50	3	7620	39.17
<b>STG52</b>	150	50	3	7620	39.32
<b>STG53</b>	150	50	3	9144	47.18



**ST33/ST29**  
Mild Steel Side Rave  
ST33 Length 45ft/13.5 metre  
ST29 Length 25ft/7.6 metre



**ST20**  
Mild Steel Side Rave  
Length 25ft/7.6 metre